

Appendix "A"

Drill Hole Data

HOLE	EAST 84	NORTH 84	EAST 56	NORTH 56	ELEVATION	DEPTH (m)	AZIMUTH
SAL-11-25	418681	7084598	418865	7084973	1550	275.10	250
SAL-12-25	419008	7084114	419192	7084489	1610	260.50	180
SAL-13-25	418946	7084239	419130	7084614	1610	245.50	180
SAL-14-25	418780	7084463	418964	7084838	1577	250.00	215

Individual Assay Results

SAL-11-25						
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Zone
48.31	50.10	1.79	1.353	0.4	1220	A
50.10	51.79	1.69	0.431	0.4	391	
51.79	52.67	0.88	1.03	1.5	937	
52.67	54.10	1.43	0.277	0.2	252	
54.10	56.10	2.00	0.836	1.3	760	
56.10	57.48	1.38	1.34	4.4	1215	
57.48	58.19	0.71	9.89	41.5	18810	
58.19	59.10	0.91	2.27	6.9	1947	
59.10	61.00	1.90	0.296	0.3	269	
61.00	63.12	2.12	0.317	0.2	288	
63.12	65.10	1.98	0.436	0.3	390	
65.10	67.17	2.07	0.368	0.2	314	
109.15	111.17	2.02	0.503	0.3	419	B
111.17	113.10	1.93	0.355	0.2	296	
113.10	115.10	2.00	0.397	0.2	331	
115.10	117.00	1.90	0.583	0.3	483	
117.00	119.10	2.10	0.645	0.6	537	
119.10	121.35	2.25	0.383	0.3	319	
121.35	123.07	1.72	0.386	0.3	322	
123.07	125.10	2.03	0.382	0.2	294	
270.98	273.00	2.02	0.396	0.3	297	C
273.00	275.10	2.10	0.449	0.3	474	

SAL-12-25						A
68.50	70.83	2.33	0.247	0.4	200	
70.83	72.48	1.65	0.325	1	267	
72.48	74.50	2.02	0.329	1.8	274	
74.50	76.00	1.50	1.21	3.4	1090	
76.00	77.40	1.40	1.74	2.6	1580	
77.40	78.80	1.40	9.29	4.9	8430	
78.80	80.50	1.70	2.97	2.1	2700	
80.50	82.42	1.92	0.933	2.2	848	
82.42	84.60	2.18	0.671	1.6	601	
84.60	86.50	1.90	0.209	0.8	190	
86.50	88.59	2.09	0.145	0.7	127	
88.59	90.03	1.44	0.224	0.3	204	
113.50	116.50	3.00	0.183	0.2	157	B
116.50	119.50	3.00	0.187	0.2	169	
119.50	122.20	2.70	0.549	0.2	499	
122.20	125.00	2.80	7.96	0.3	7197	
125.00	126.80	1.80	0.948	0.3	849	
126.80	128.50	1.70	0.157	0.2	140	
128.50	130.50	2.00	0.207	0.3	184	
130.50	133.08	2.58	0.217	0.2	183	
133.08	135.42	2.34	0.158	0.2	137	
135.42	137.50	2.08	0.185	0.2	167	
137.50	140.50	3.00	0.462	0.2	420	
140.50	143.50	3.00	5.68	0.2	5107	
143.50	146.50	3.00	0.943	0.4	857	
146.50	149.00	2.50	1.18	0.2	1070	
149.00	150.68	1.68	0.248	0.3	225	
150.68	152.50	1.82	0.316	0.3	278	
152.50	154.45	1.95	0.209	0.3	185	
154.45	156.52	2.07	0.515	0.5	468	
156.52	158.50	1.98	0.282	0.2	256	
168.50	170.50	2.00	0.172	0.3	156	C
170.50	172.60	2.10	0.662	0.4	600	
172.60	174.67	2.07	0.287	0.3	259	
174.67	176.50	1.83	0.198	0.3	175	
176.50	178.57	2.07	0.243	0.9	221	
178.57	180.45	1.88	0.186	0.4	169	
180.45	182.50	2.05	0.559	0.5	508	
182.50	184.50	2.00	0.347	0.3	309	
184.50	186.50	2.00	0.252	0.2	229	
186.50	188.50	2.00	0.239	0.2	209	

188.50	190.50	2.00	0.395	0.3	359	
190.50	192.54	2.04	0.527	0.4	479	

SAL-13-25						
31.45	33.50	2.05	0.627	0.2	515	A
33.50	35.60	2.10	0.961	0.2	801	
35.60	37.15	1.55	0.742	0.3	618	
37.15	39.10	1.95	1.21	0.4	987	
39.10	41.10	2.00	1.15	0.8	861	
41.10	43.54	2.44	1.22	0.9	1006	
43.54	45.57	2.03	0.879	0.2	725	
45.57	47.50	1.93	0.326	22	268	
47.50	49.10	1.60	1.57	0.5	1143	
49.10	50.30	1.20	9.52	103	7920	
50.30	52.25	1.95	1.68	3.1	1403	
52.25	54.41	2.16	0.337	0.2	280	
95.50	97.31	1.81	0.368	0.3	304	B
97.31	98.78	1.47	1.41	1.2	1164	
98.78	100.46	1.68	3.55	3.9	2862	
100.46	101.87	1.41	1.19	0.4	946	
101.87	104.02	2.15	0.987	0.2	817	
104.02	105.17	1.15	0.667	2	554	
105.15	107.50	2.35	0.254	0.4	212	
174.21	176.32	2.11	0.716	0.5	588	C
176.32	177.80	1.48	1.94	1	1613	
177.80	178.48	0.68	9.73	8.4	8105	
178.48	180.50	2.02	0.918	0.2	754	
180.50	182.50	2.00	0.643	0.2	535	

SAL-14-25						
35.20	37.33	2.13	0.285	0.3	260	A
37.33	39.20	1.87	0.308	1.1	278	
39.20	40.85	1.65	0.509	6.7	459	
40.85	42.26	1.41	9.85	73.2	13850	
42.26	44.20	1.94	1.85	3.6	1255	
44.20	46.23	2.03	0.307	0.8	279	
46.23	48.47	2.24	0.267	0.4	234	